


MPN: KAB023-100

## U/UTP CAT6 SOLID OUTDOOR 100M

- Jacket PE
- AWG 23 CCA
- LSA connectors
- UV and water resistant



### Spesifikasjoner

Features	AWG wire size	23
	Cable length	100 m
	Cable shielding	U/UTP (UTP)
	Cable standard	Cat6
	Conductor material	Copper-Clad Aluminium (CCA)
	Conductor type	Solid
	Connector 1	Open end
	Connector 2	Open end
	Data transfer rate	10000 Mbit/s
	Frequency	250 MHz
	Jacket material	Polyethylene (PE)
	Product colour	Black
	RoHS compliance	Yes
	Other features	Product series
Package dimensions (verified)	Depth Verified	22,2 cm
	Gross Weight Verified	2,59 kg
	Height Verified	14,3 cm
	Width Verified	22,6 cm
Packaging data	Quantity per pack	1 kusu
Product dimensions	Net Weight (Product, kg)	2,4899999999999998 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 År
Weight & dimensions	Outer diameter	5,8 mm

## Andre produkter i denne serien




Cable standard	Black
Cat5e	KAB025-100
Cat6	KAB028-100
Cat7	KAB0100OUTDOOR

## Anbefalt tilbehør




**MicroConnect Strain Relief Boot for RJ45  
White, 50pcs**  
MPN: KON503W



**MicroConnect Cat 6 Tooless RJ45 Plug**  
MPN: KON520TL



**MicroConnect Strain Relief Boot for RJ45  
Yellow, 50pcs**  
MPN: KON503Y



**MicroConnect Modular Plug RJ45  
MP8P8C CAT6**  
MPN: KON505-10



**MicroConnect 19", CAT6, 24 port**  
MPN: PP-013



**MicroConnect Strain Relief Boot for RJ45  
Red, 50pcs**  
MPN: KON503R